



3.5" Internal Card Reader with USB3.0 port

Model No.: INCRU3

Features:

- Super Speed USB 3.0 interface fully backward compatibility with USB2.0/USB1.1 devices to upgrade your PC spec.
- Support high-speed data transfer rate up to 480Mbps for Card Reader.
- Provide one LED indicators for in-use status.
- Support Bus-powered, no external power required.
- Four media slot can be used at the same time for data exchanges.
- Low power consumption.
- Support USB3.0 1 downstream port

• Card Reader/Writer

- Compatible With Universal Serial Bus Specification ver2.0 And Also Backward Compatible With USB1.1
- USB 2.0 transfer rate up to 480Mbps ,backward USB 1.1 transfer up to 12Mbps



Forcom Technology Co., Ltd.

Tel: +886-2-77296880 Fax: +886-2-27585852

e-mail: info@forcomtech.com.tw

URL: <http://www.forcomtech.com.tw>

- Data copying between cards without storage intermediate, and it also allows you to upload photos/data from compatible media cards to a computer's hard driver
- Four card slots in-use one active LED
- It is compatible with Win ME, Windows 2000, Windows XP, Vista and WIN 7 operating system, it is also compatible with Mac OS 9.2 or higher operating system,

•Specification

Memory Slots		T-Flash,MS Select.0, xD,XD(M)Type,XD(H).
XD Slot		MS, MS Pro, MS Magic Gate, MS-Pro Magic Gate,HS-MS-Pro Magic Gate, MS-DUO, MS Pro-Duo, MS Pro-Duo PSP, MS Pro-Duo Gaming, HS-MS-Pro Duo,MS-DUO MagicGate, MS Pro-DUO MagicGate .
MS Slot		
SD/MMC Slot		Secure Digital Card,Mini SD, Extreme SD, Extreme III SD,Ultra II SD
CF/MD Slot		CF I,CF II,Extreme CF,Extreme III CF,Ultra II CF,HS CF, Micro Drive
T-flash slot		T-FLASH
Indicator		One power-on/Six card slot memory card in-use four active LED
Bus Interface		USB3.0
Power Supply		5V by USB Port
Operation Current		< 150mA(Not Contain Micro Drive)
Suspend Current		< 500mA
Operating Temperature		0 ~ 70°C
Stock Temperature		20 ~ 60°C
Cable		Self-support double USB 3.0 Cable 50cm length
Dimensions		109(L)*102.1(W)*25.4(H)mm



Forcom Technology Co., Ltd.

Tel: +886-2-77296880 Fax: +886-2-27585852

e-mail: info@forcomtech.com.tw

URL: <http://www.forcomtech.com.tw>

Weight	210g
--------	------