



PCI-e 2 port Serial (RS232)+ Parallel

Model No.: M9901EPR2

Feature:

- 2 independent RS-232 serial ports with communication speeds up to 430Kbps
- Designed to meet PCI-Express Base Specification Revision 1.1
- Supports x1,x2,x4,x8,x16 (lane) PCI-Express Bus connector keys
- High speed 16C550 compatible UART controller on-board
- Support IEEE 1284 Parallel ports standard
ECP (Enhance Capacity Port) / EPP (Enhance Parallel Port)
SPP (Standard Parallel Port)
- On-chip hardware auto flow control to guarantee no data loss
- Built-in 16 byte hardware FIFO & 256K byte DMA software FIFO
- Certified by Microsoft WHQL,CE,FCC approval
- Support DOS,Linux,MAC,Microsoft Windows 2000/XP/2003 and Vista
- Ready of the Intel and AMD 32/64-bit CPU System

Specifications

Serial communication

Interface	RS-232+Paralle
Controller	MOSCHIP MCS9901
Bus	PCI-Express one lane (x1) Bus
No. of port	3ports



Forcom Technology Co., Ltd.

Tel: +886-2-77296880 Fax: +886-2-270535495

e-mail: finfo@forcomtech.com.tw

URL: <http://www.forcomtech.com.tw>

Port Type	DB9 Male+DB25 Female
IRQ & IO	Assigned by System
FIFO	16 byte Hardware & 256K byte DMA FIFO
Baud rate	up to 430Kbps
Flow Control	None , Xon/Xoff , RTS/CTS
Baud Rate	up to 1.5Mbytes/sec
Mode	SPP/EPP/ECP

Driver Support

Microsoft	Windows 2000/XP/2003/Vista (32/64-bit)
Linux Kernel	2.6.11 and above
DOS	DOS
MAC	10.4.x and above

Regulatory Approvals

Hardware	CE , FCC
Software	WHQL

Operation Environment

Operation Temperature	0 to 60°C
Operation Humidity	5 to 95% RH